BRAIN RESEARCH

VOL. 619 NOS. 1/2 **CONTENTS** **13 AUGUST 1993**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Announcement from the Publisher v

Guidelines for the submission of Manuscripts vii

Research Reports

Methylenedioxyamphetamine: neurotoxic effects on serotonergic projections to brainstem nuclei in the rat
J.A. Harvey, S.E. McMaster and A.G. Romano (USA) 1

Antagonism of cocaine self-administration by the preferential dopamine autoreceptor antagonist, (+)-AJ 76
N.R. Richardson, M.F. Piercey, K. Svensson, R.J. Collins, J.E. Myers and D.C.S. Roberts (Canada, USA, Sweden) 15

A pharmacological characterization of the mGluR1α subtype of the metabotropic glutamate receptor expressed in a cloned baby hamster kidney cell line
C. Thomsen, E.R. Mulvihill, B. Haldeman, D.S. Pickering, D.R. Hampson and P.D. Suzdak (Denmark, USA, Canada) 22

Early monaural occlusion alters the neural map of interaural level differences in the inferior colliculus of the barn owl
J. Mogdans and E.I. Knudsen (USA) 29

Electrical sensitization of the meso-limbic dopaminergic system in rats: a pathogenetic model for schizophrenia
B. Glenthøj, J. Mogensen, H. Laursen, S. Holm and R. Hemmingsen (Denmark) 39

Evidence that transmitter-containing dystrophic neurites precede those containing paired helical filaments within senile plaques in the entorhinal cortex of nondemented elderly and Alzheimer's disease patients
W.C. Benzing, D.R. Brady, E.J. Mufson and D.M. Armstrong (USA) 55

Characterization of protein kinase C activities in postsynaptic density fractions prepared from cerebral cortex, hippocampus, and cerebellum
T. Suzuki, K. Okumura-Noji, R. Tanaka, A. Ogura, K. Nakamura, Y. Kudo and T. Tada (Japan) 69

Effect of diabetes on the antinociceptive effect of β-endorphin
J. Kamei, N. Kawashima, H. Hitosugi, M. Misawa, H. Nagase and Y. Kasuya (Japan) 76

Genetic analysis of cerebellar folial pattern in crosses of C57BL/6J and DBA/2J inbred mice
P.E. Neumann, J.D. Garretson, G.P. Skabardonis and G.G. Mueller (USA) 81

Voltage- and time-dependent potassium conductances enhance the frequency response of horizontal cells in the turtle retina
I. Perlman, J.M. Sullivan and R.A. Normann (Israel, USA) 89

In vivo modulation of acetylcholine in the nucleus accumbens of freely moving rats: I. Inhibition by serotonin
P.V. Rada, G.P. Mark and B.G. Hoebel (USA) 98

In vivo modulation of acetylcholine in the nucleus accumbens of freely moving rats: II. Inhibition by γ-aminobutyric acid
P.V. Rada, G.P. Mark and B.G. Hoebel (USA) 105

Physical activity enhances spatial learning performance with an associated alteration in hippocampal protein kinase C activity in C57BL/6 and DBA/2 mice
D.E. Fordyce and J.M. Wehner (USA) 111

Substance P excites neurons in the gustatory zone of the rat nucleus tractus solitarius
M.S. King, L. Wang and R.M. Bradley (USA) 120

The adenosine binding enhancer, PD 81,723, inhibits epileptiform bursting in the hippocampal brain slice
C.A. Janusz and R.F. Berman (USA) 131

Body weight gain and hippocampal volumes of rats exposed neonatally to psychostimulants
M.A. Tavares and M.C. Silva (Portugal) 137

The CVS strain of rabies virus as transneuronal tracer in the olfactory system of mice
L. Astic, D. Saucier, P. Coulon, F. Lafay and A. Flamand (France, Canada) 146

Effects of interferons and hydrogen peroxide on CA3 pyramidal cells in rat hippocampal slice cultures
M. Müller, A. Fontana, G. Zbinden and B.H. Gähwiler (Switzerland) 157

Modification of morphine-induced locomotor activity by pertussis toxin: biochemical and behavioral studies in mice
M. Funada, T. Suzuki, M. Narita, M. Misawa and H. Nagase (Japan) 163

Effect of unilateral deafferentation in the medial basal portion of the temporal lobe on the hypophyseo-ovarian axis in rats: an age-dependent lateralized control mechanism
I. Gerendai, Z. Csaba, Z. Vokó and V. Csernus (Hungary) 173

(contents continued on p. 360)

0006-8993(19930813)619:1/2;1-U

BRAIN RESEARCH

VOL. 619 NOS. 1/2 **CONTENTS** **13 AUGUST 1993**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Announcement from the Publisher v

Guidelines for the submission of Manuscripts vii

Research Reports

Methylenedioxyamphetamine: neurotoxic effects on serotonergic projections to brainstem nuclei in the rat
J.A. Harvey, S.E. McMaster and A.G. Romano (USA) 1

Antagonism of cocaine self-administration by the preferential dopamine autoreceptor antagonist, (+)-AJ 76
N.R. Richardson, M.F. Piercey, K. Svensson, R.J. Collins, J.E. Myers and D.C.S. Roberts (Canada, USA, Sweden) 15

A pharmacological characterization of the mGluR1α subtype of the metabotropic glutamate receptor expressed in a cloned baby hamster kidney cell line
C. Thomsen, E.R. Mulvihill, B. Haldeman, D.S. Pickering, D.R. Hampson and P.D. Suzdak (Denmark, USA, Canada) 22

Early monaural occlusion alters the neural map of interaural level differences in the inferior colliculus of the barn owl
J. Mogdans and E.I. Knudsen (USA) 29

Electrical sensitization of the meso-limbic dopaminergic system in rats: a pathogenetic model for schizophrenia
B. Glenthøj, J. Mogensen, H. Laursen, S. Holm and R. Hemmingsen (Denmark) 39

Evidence that transmitter-containing dystrophic neurites precede those containing paired helical filaments within senile plaques in the entorhinal cortex of nondemented elderly and Alzheimer's disease patients
W.C. Benzing, D.R. Brady, E.J. Mufson and D.M. Armstrong (USA) 55

Characterization of protein kinase C activities in postsynaptic density fractions prepared from cerebral cortex, hippocampus, and cerebellum
T. Suzuki, K. Okumura-Noji, R. Tanaka, A. Ogura, K. Nakamura, Y. Kudo and T. Tada (Japan) 69

Effect of diabetes on the antinociceptive effect of β-endorphin
J. Kamei, N. Kawashima, H. Hitosugi, M. Misawa, H. Nagase and Y. Kasuya (Japan) 76

Genetic analysis of cerebellar folial pattern in crosses of C57BL/6J and DBA/2J inbred mice
P.E. Neumann, J.D. Garretson, G.P. Skabardonis and G.G. Mueller (USA) 81

Voltage- and time-dependent potassium conductances enhance the frequency response of horizontal cells in the turtle retina
I. Perlman, J.M. Sullivan and R.A. Normann (Israel, USA) 89

In vivo modulation of acetylcholine in the nucleus accumbens of freely moving rats: I. Inhibition by serotonin
P.V. Rada, G.P. Mark and B.G. Hoebel (USA) 98

In vivo modulation of acetylcholine in the nucleus accumbens of freely moving rats: II. Inhibition by γ-aminobutyric acid
P.V. Rada, G.P. Mark and B.G. Hoebel (USA) 105

Physical activity enhances spatial learning performance with an associated alteration in hippocampal protein kinase C activity in C57BL/6 and DBA/2 mice
D.E. Fordyce and J.M. Wehner (USA) 111

Substance P excites neurons in the gustatory zone of the rat nucleus tractus solitarius
M.S. King, L. Wang and R.M. Bradley (USA) 120

The adenosine binding enhancer, PD 81,723, inhibits epileptiform bursting in the hippocampal brain slice
C.A. Janusz and R.F. Berman (USA) 131

Body weight gain and hippocampal volumes of rats exposed neonatally to psychostimulants
M.A. Tavares and M.C. Silva (Portugal) 137

The CVS strain of rabies virus as transneuronal tracer in the olfactory system of mice
L. Astic, D. Saucier, P. Coulon, F. Lafay and A. Flamand (France, Canada) 146

Effects of interferons and hydrogen peroxide on CA3 pyramidal cells in rat hippocampal slice cultures
M. Müller, A. Fontana, G. Zbinden and B.H. Gähwiler (Switzerland) 157

Modification of morphine-induced locomotor activity by pertussis toxin: biochemical and behavioral studies in mice
M. Funada, T. Suzuki, M. Narita, M. Misawa and H. Nagase (Japan) 163

Effect of unilateral deafferentation in the medial basal portion of the temporal lobe on the hypophyseo-ovarian axis in rats: an age-dependent lateralized control mechanism
I. Gerendai, Z. Csaba, Z. Vokó and V. Csernus (Hungary) 173

(contents continued on p. 360)

0006-8993(19930813)619:1/2;1-U

(contents continued)

Influence of prelimbic and sensorimotor cortices on striatal neurons in the rat: electrophysiological evidence for converging inputs and the effects of 6-OHDA-induced degeneration of the substantia nigra
T. Florio, S. Di Loreto, F. Cerrito and E. Scarnati (Italy) 180
Inhibiting synthesis of the putative retrograde messenger nitric oxide results in amnesia in a passive avoidance task in the chick
C. Hölscher and S.P.R. Rose (UK) 189
High levels of quinolinic acid in brain of epilepsy-prone E1 mice
K. Nakano, S. Takahashi, M. Mizobuchi, T. Kuroda, K. Masuda and J. Kitoh (Japan) 195
Establishment and neurite outgrowth properties of neonatal and adult rat olfactory bulb glial cell lines
M.N. Goodman, J. Silver and J.W. Jacobberger (USA) 199
Cardiovascular responses to gustatory and mechanical stimulation of the nasopharynx in rats
T. Hanamori and N. Ishiko (Japan) 214
U-50,488H, a κ-opioid receptor agonist, markedly prevents memory dysfunctions induced by transient cerebral ischemia in mice
J. Itoh, M. Ukai and T. Kameyama (Japan) 223
[^{125}I]5-Iodo-6-nitroquipazine: a potent and selective ligand for the 5-hydroxytryptamine uptake complex. I. In vitro studies
C.A. Mathis, S.E. Taylor, A. Biegon and J.D. Enas (USA) 229
[^{125}I]5-Iodo-6-nitroquipazine: a potent and selective ligand for the 5-hydroxytryptamine uptake complex. II. In vivo studies in rats
A. Biegon, C.A. Mathis, S.M. Hanrahan and W.J. Jagust (USA) 236
Modulation of calcium-dependent and -independent components of veratridine-evoked release of glutamate from rat cerebellum
B.G.M. Dickie and J.A. Davies (UK) 247
Degradation fragments of L1 antigen enhance tyrosine hydroxylase-immunoreactive neurite outgrowth in mesencephalic cell culture
M. Poltorak, J.R. Williams and W.J. Freed (USA) 255
Effect of KB-2796, a new diphenylpiperazine Ca^{2+} antagonist, on voltage-dependent Ca^{2+} currents and oxidative metabolism in dissociated mammalian CNS neurons
N. Akaike, H. Ishibashi, H. Hara, Y. Oyama and T. Ueha (Japan) 263
Substance P-like immunoreactivity in the suprachiasmatic nucleus of the rat
Y. Otori, K. Tominaga, C. Fukuhara, J. Yang, S. Yamazaki, F.R.A. Cagampang, H. Okamura and S.-I.T. Inouye (Japan) 271
Axonal coding of action potentials in demyelinated nerve fibers
P. Shrager (USA) 278
Electrolytic and ibotenic acid lesions of the medial subnucleus of the medial geniculate prevent the acquisition of classically conditioned heart rate to a single acoustic stimulus in rabbits
P.M. McCabe, M.D. McEchron, E.J. Green and N. Schneiderman (USA) 291
Effects of social deprivation in prepubescent rhesus monkeys: immunohistochemical analysis of the neurofilament protein triplet in the hippocampal formation
S.J. Siegel, S.D. Ginsberg, P.R. Hof, S.L. Foote, W.G. Young, G.W. Kraemer, W.T. McKinney and J.H. Morrison (USA) 299
Local inhibition of nitric oxide synthase activity in the accessory olfactory bulb does not prevent the formation of an olfactory memory in mice
P.A. Brennan and J. Kishimoto (UK) 306
Identification of cell types from action potential waveforms: cerebellar granule cells
C.-m. Huang, H. Mu and C.-F. Hsiao (USA) 313
GABA and pentobarbital potentiation of chloride influx into microsacs is influenced by incubation time
S.J. Mihic, B.N.M. Van Berckel, P.H. Wu and H. Kalant (Canada, The Netherlands) 319
Bidirectional modulation of long-term potentiation by carbachol via M_1 and M_2 muscarinic receptors in guinea pig hippocampal mossy fiber-CA3 synapses
T. Maeda, S. Kaneko and M. Satoh (Japan) 324

Short Communications

Somatic ribosomal changes induced by long-term potentiation of the perforant path–hippocampal CA1 synapses
J. Wenzel, N.L. Desmond and W.B. Levy (USA) 331
Induction of heat shock hsp70 mRNA and HSP70 kDa protein in neurons in the 'penumbra' following focal cerebral ischemia in the rat
H. Kinouchi, F.R. Sharp, J. Koistinaho, K. Hicks, H. Kamii and P.H. Chan (USA) 334
Immunohistochemical localization of ubiquitin in gerbil hippocampus with induced tolerance to ischemia
H. Kato, T. Chen, X.-H. Liu, N. Nakata and K. Kogure (Japan) 339
Nitric oxide synthesis and action in an invertebrate brain
M.R. Elphick, I.C. Green and M. O'Shea (UK) 344
The involvement of D_1 and D_2 dopamine receptors in amphetamine-induced changes in striatal unit activity in behaving rats
A. Rosa-Kenig, J.K. Puotz and G.V. Rebec (USA) 347
Effect of arcuate nucleus activation on neuronal activity in subfornical organ
M.P. Rosas-Arellano, L.P. Solano-Flores and J. Ciriello (Canada) 352

Author Index 357